

GLASS STOCK LIST (Annealed, Laminated, Wired & Silvered Glass)

FLOAT GLASSES	
2mm Float	
2mm Deffused	
4mm Float	
5mm Float	Holes for Fans
6mm Float	On Application
8mm Float	
10mm Float	
12mm Float	
PATTERN GLASSES	
4mm Pattern	
6mm Pattern	Holes for Fans
4mm Warwick	On Application
4mm Oriol	
6mm Oriol	
SAFETY GLASSES	
4.4 Laminated	
6.4 Laminated	
6.8 Laminated	
7.5 Laminated	Holes for Fans
8.8 Laminated	On Application
10.8 Laminated	
11.8 Laminated	
6.8 Pattern Laminated	
6.4 Tint Laminated	
FIRE GLASSES	
Pyroshield Clear (6mm)	
Pyroshield Texture (7mm)	Holes for Fans
Pyroshield Clear Safety	On Application
Pyroshield Texture Safety	
LAMINATED FIRE GLASSES	
Pyroguard W (Mild Steel)	
Pyroguard W (Colour Steel)	
Pyroguard C730 (No Wires)	
SILVERED FLOAT	
2mm Silvered	
3mm Silvered	Safety Backing
4mm Silvered	available
6mm Silvered	
TINTED GLASSES	
4mm Antisun	
6mm Antisun	
SANDBLASTED GLASSES	
4mm Sandblasted	
6mm Sandblasted	
ADD ONS	
SHAPED CUTTING	MINIMUM CHARGE AREA 0.10m²

GLASS STOCK LIST (Toughened, Hortic & Processed)

TOUGHENED GLASS	
4mm Float	
6mm Float	SUPPLY ONLY
4mm Pattern	MIN. 0.3m²
6mm Pattern	
10mm Float	SUPPLY & FIT
4mm Antisun	MIN. 0.25m²
6mm Antisun	
4mm Sandblasted	
6mm Sandblasted	
6mm BULLIONS	
197 X 356mm	
267 x 356mm	
3mm GREENHOUSE GLASS	
610 x 457mm	
610 x 610mm	
730 x 1422mm	
PROCESSING WORK	(Polishing, Fingergrrips,4no. 6mm Holes)
4mm Float	MIN. 0.15m²
6mm Float	SHAPED WORK
10mm Float	
4mm Antisun	
6mm Antisun	Additional holes
6.4 Laminated	on application
4mm Silvered	
6mm Silvered	Safety Backing
4mm Antisun Silvered	Available
6mm Antisun Silvered	
PROCESSING WORK (ADDITIONAL FOR TOUGHENED GLASS ONLY)	
Polishing upto 6mm per meter	
Polishing upto 10mm per meter	
Holes upto 6mm	
Holes upto 30mm	
Fingergrrips	

GLASS STOCK LIST (Double Glazed Units)

SPACER BARS FROM 6mm TO 20mm SILVER & BRONZE

4mm Double Glazed Units

Standard Float

Standard Pattern

Standard Toughened Float

Standard Toughened Pattern

Standard Antisun

Standard Toughened Antisun

Standard Float Leded (dia/sqs)

Standard Pattern Leded (dia/sqs)

Standard Tgh'd Float Leded (dia/sqs)

Standard Tgh'd Pattern Leded (dia/sqs)

Stepped Units

Standard Float White Geo. Bar

Available

Standard Float Bronze Geo. Bar

Standard Pattern White Geo. Bar

Standard Toughened Float Geo. Bar

Standard Toughened Pattern Geo. Bar

Standard Pilkington 'K'

Standard Pilkington 'K' Pattern

Standard Pilkington Toughened 'K'

Standard Pilkington Tgh'd Pattern 'K'

6mm & Laminated Double Glazed

Standard 6.4 Laminated Clear

Standard 6.4 Laminated Antisun

Standard 6mm Float

Standard 6mm Toughened Float

Standard 6mm Antisun

Standard 6mm Toughened Antisun

SUPPLY ONLY MIN. AREA 0.3m²

SUPPLY & FIT MIN. AREA 0.25m²

HOLES FOR VENTS & CAT FLAPS

GLAZING MATERIALS & ACCESSORIES

PUTTIES Natural & Brown

.5 Kg. Multipurpose Tubs

1 Kg. Multipurpose Tubs

2 Kg. Multipurpose Tubs

5 Kg. Multipurpose Tubs

10 Kg. Multipurpose Tubs

1 Kg. Butyl Tubs

2 Kg. Butyl Tubs

5 Kg. Butyl Tubs

SILICONES & MASTICS

Sifix U9 (all colours)

Sifix HM

General Purpose

Mirror Mastic

Grip Fill

Intumescent Sealant

PREFORMED TAPES

Flexistrip 15mm x 30m Reels

Flexistrip 15mm x 15m Reels

Flexistrip Trade Packs

Double Sided Foam Tape 12 x 3mm x 25m

FIRE RESISTANT MATERIALS

Fire Strip Tape 10 x 3mm x 15m

Fire Strip Trade Packs

LEADED LIGHT MATERIALS

Cement 2Kg. Tubs

Lead Came 1/4" & 3/8" per length

Lead Came 5/8", 1/2" & 3/4" per length

Applied Lead 6mm x 50m Reel

Applied Lead 9mm x 50m Reel

Applied Lead 12mm x 50m Reel

ACCESSORIES

UPVc Cleaner

Glass Cleaner